

1x barrier feeder two-layer


1x barrier bulleye two-layer

1x barrier shop two-layer

1x bulleye barrier

1x barrier W4





LIST OF MODULES

1x TREEHOUSE 2

3x square tower

2x gable roof

2x slide

1x climbing roof

2x rope slanting tunnel

1x slanting bridge

1x stairs

1x rope arch ladder

TECHNICAL DATA

Max. Fall height Dimensions (L x W x H)

Safety area dimensions

Safety area

Recommended surface

1,50 m

9,24 x 6,38 x 4,30 m

9,9 x 11,7 m

69,8 m²

According to the norm 1176-1:2017

Available options:

	PREMIUM	PREMIUM PLUS
STEEL	Galvanized and powder coated steel elements	Structural poles of stainless steel, other elements made of galvanized steel with powder coating **
PLATFORMS	Anti-slip HPL	Anti -slip HPL
PLATES	HPL and three-coat HDPE panels with milled drawings	HPL and three-coat HDPE panels with milled drawings
SLIDES	Stainless steel slide, side shields made of HDPE	Stainless steel slide, side shields made of HDPE
ROPES	Polypropylene ropes with a steel core connected with solid aluminum and plastic connectors	Polypropylene ropes with a steel core connected with solid aluminum and plastic connectors
FOUNDATION	The device permanently sited in the ground with C16 / 20 class concrete	The device permanently sited in the ground with C16 / 20 class concrete
ADDITIONAL ELEMENTS	Structural posts protected with welded steel covers; bolts and screws protected with plastic end covers; round head	Structural posts protected with welded steel covers; bolts and screws protected with plastic end covers; round head

^{*} Due to the continuous improvement of technical solutions by FreeKids, presented drawings, including colors and dimensions may slightly differ from currently manufactured devices. Certificate of compliance with the PN-EN 1176: 2017

^{**} Optional execution of stainless steel elements (valuation available on individual request)

