

**TECHBICAL DATA**

Maximum height fall	2,0 m
Dimensions (W x L x H)	1,36 x 1,42 x 2,10 m
Safety area dimensions	5,1 x 5,1 m
Safety area	25,2 m <sup>2</sup>
Recommended safety surface	According to norm 1176-1:2017

**Available options:**

	STANDARD	PREMIUM
WOOD	construction elements made of solid wood, impregnated surface ,with square profile 95 x 95 mm	construction elements made of glued-laminated timber, impregnated surface, with square profile 95 x 95 mm
STEEL	galvanized and powder-coated steel elements	galvanized and powder-coated steel elements
ROPES	Ropes with a steel core with a braid made of polypropylene, joined by plastic or aluminum connectors	Ropes with a steel core with a braid made of polypropylene, joined by plastic or aluminum connectors
PLATES	HPL sheets	HDPE or HPL sheets and sandwich HDPE sheets with milled drawings
FOUNDATIO NS	device permanently founded in the ground, concrete foundations with minimum class: C-15/20	device permanently founded in the ground, concrete foundations with minimum class: c-15/20
ADDITIONAL ELEMENTS	construction posts protected with plastic covers; bolts and screws protected with plastic end covers; round head nuts	construction posts protected with plastic covers; bolts and screws protected with plastic end covers; round head nuts

\* Due to constant development of technical solutions and designs made by FreeKids s.c. presented renders may vary from currently produced products. Certificate compliant with safety norms PN-EN 1176:2017.