

**LIST OF MODULES**

5x square tower	1x clock
2x hipped roof	1x strainer with tube
1x dome	1x runner arch
2x slide	3x integration sandbox
1x rope bridge	1x winch
1x stairs with guardrails	1x table
1x entry ladder	1x sand stamps
2x shop large	1x bench
1x abacus	
1x bullseye barrier	

TECHNICAL DATA

Max. height fall	0,9 m
Dimensions	6,24 x 5,71 x 3,51 m
Safety area dimensions	9,1 x 9,4 m
Safety area	59,6 m ²
Recommended surface	According to norm PN-EN 1176: 2017

Available options:

PREMIUM		PREMIUM PLUS
STEEL	Galvanized and powder coated steel elements	Structural poles of stainless steel, other elements made of galvanized steel with powder coating **
PLATFORMS	HPL antislip	HPL antislip
PLATES	HDPE / HPL and HDPE plastic panels with three layers and milled drawings	HDPE / HPL and HDPE plastic panels with three layers and milled drawings.
ROPES	Ropes with a steel core with a braid made of polypropylene, joined by plastic or aluminum connectors	Ropes with a steel core with a braid made of polypropylene, joined by plastic or aluminum connectors
CHAINS	Stainless steel chains.	Stainless steel chains.
SLIDES	Stainless steel slide, side shields made of HDPE	Stainless steel slide, side shields made of HDPE
FOUNDATIONS	The device permanently sited in the ground, concrete class C16 / 20	The device permanently sited in the ground, concrete class C16 / 20
ADDITIONAL ELEMENTS	Structural beams covered with steel lids welded to poles. The heads of the screws and nuts covered with plastic plugs. Cap nuts	Structural beams covered with steel lids welded to poles. The heads of the screws and nuts covered with plastic plugs. Cap nuts

* Due to the continuous improvement of technical solutions by FreeKids, presented drawings, including colors and dimensions may slightly differ from currently manufactured devices. Certificate of compliance with the PN-EN 1176: 2017

** Optional execution of stainless steel elements (valuation available on individual request).