

**LIST OF MODULES**

1x square tower	2x bullseye barrier
1x hexagonal tower	1x figure 1 barrier
1x flat roof	1x figure 2 barrier
1x hexagonal tower roof	1x phone barrier
1x slide	1x clock barrier
1x slanting bridge	
1x entrance ramp	

TECHNICAL DATA

Max.height fall	0,56 m
Dimensions (W x L x H)	4,89 x 2,32 x 2,50 m
Safety area dimensions	7,4 x 5,1 m
Safety area	25,8 m ²
Recommended surface	According to the norm 1176-1:2017

Available options:**PREMIUM PLUS***

STEEL	Structural poles of stainless steel, other elements made of galvanized steel with powder coating **
PLATFORMS	HPL antislip sheet
PLATES	HPL and three-coat HDPE panels with milled drawings
SLIDES	Stainless steel slide, side shields made of HDPE
FOUNDATIONS	The device permanently sited in the ground with concrete class C16 / 20
ADDITIONAL ELEMENTS	Structural beams covered with steel lids welded to poles. The heads of the screws and nuts covered with plastic plugs. Cap nuts

* Due to the continuous improvement of technical solutions by FreeKids, presented drawings, including colors and dimensions may slightly differ from currently manufactured devices. Certificate of compliance with the PN-EN 1176: 2017

** Optional execution of stainless steel elements (valuation available on individual request)