



LIST OF MODULES

4 x square tower	2 x slide
1 x roof	1 x rope lattice
1 x gable roof	1 x steel dexterous unit
1 x hip roof	1 x a letter shaped steel
1 x suspended bridge	climbing ladder
1 x balance beam bridge	5 x barrier W4
1 x climbing panel	
1 x entry ladder	
1 x sliding pole	
1 x arc shaped entrance	

TECHNICAL DATA

Maximum height fall	2,0 m
Dimensions (W x L x H)	7,43 x 6,38 x 3,5 m
Safety area dimensions	10,5 x 8,9 m
Safety area	77,3 m ²
Recommended safety surface	According to norm 1176-1:2017

Available options:

	STANDARD	PREMIUM
WOOD	construction elements made of solid wood, impregnated surface ,with square profile 95 x 95 mm	construction elements made of glued-laminated timber, impregnated surface, with square profile 95 x 95 mm
STEEL	galvanized and powder-coated steel elements	galvanized and powder-coated steel elements
PLATES	HPL sheets	HDPE or HPL sheets and sandwich HDPE sheets with milled drawings
SLIDES	stainless steel slide with side-guard panels made of HDPE sheets	stainless steel slide with side-guard panels made of HDPE sheets and sandwich HDPE sheets with milled drawings
FOUNDATIONS	device permanently founded in the ground, concrete foundations with minimum class: c16/20	device permanently founded in the ground, concrete foundations with minimum class: c16/20
ROPES	ropes made of steel cores wrapped in polypropylene strings, joined by nylon or aluminum connectors	ropes made of steel cores wrapped in polypropylene strings, joined by nylon or aluminum connectors
CHAINS	stainless steel Ø5 cm	stainless steel Ø5 cm
ADDITIONAL ELEMENTS	construction posts protected with plastic covers; bolts and screws protected with plastic end covers; round head nuts	construction posts protected with plastic covers; bolts and screws protected with plastic end covers; round head nuts

* Due to constant development of technical solutions and designs made by FreeKids s.c. presented renders may vary from currently produced products. Certificate compliant with safety norms PN-EN 1176:2017