



TECHNICAL DATA

 $\begin{array}{ll} \text{Maximum height fall} & \text{0,5 m} \\ \text{Dimensions (W x L x H)} & \text{3,00 x 0,35 x 0,74 m} \\ \text{Safety area dimensions} & \text{6,0 x 3,5 m} \\ \text{Safety area} & \text{20,1 m}^2 \end{array}$

Recommended safety surface According to the 1176-1:2017

Available options:

	STANDARD	PREMIUM
WOOD	construction elements made of solid wood, impregnated surface, with square profile 95 x 95 mm	construction elements made of solid wood, impregnated surface, with square profile 95 x 95 mm
STEEL	galvanized and powder-coated steel elements	galvanized and powder-coated steel elements
PLATES	HPL sheets	HPL and three-coat HDPE panels with milled drawings
FOUNDATIONS	The device permanently sited in the ground with C16 / 20 class concrete	The device permanently sited in the ground with C16 / 20 class concrete
ADDITIONAL ELEMENTS	Structural posts protected with plastic covers; bolts and screws protected with plastic end covers; round head nuts	Structural posts protected with plastic covers; bolts and screws protected with plastic end covers; round head nuts

^{*} Due to constant development of technical solutions and designs made by FreeKids s.c. presented renders may vary from currently produced products. Certificate compliant with safety norms PN-EN 1176:2009 and PN-EN 1177:2017.

